

# GARAGE DOORS



## ACCENT the beauty of YOUR HOME

A guide to choosing a garage door as beautiful as your home



## Clopay, the right choice for your home.

- Clopay is North America's largest and most trusted garage door brand
- A garage door can represent as much as 30% of your home's front façade, which makes choosing the right design especially important and Clopay has the widest selection available
- Clopay garage doors are designed and manufactured in the USA





# DESIGN, VISUALIZE AND PURCHASE A NEW CLOPAY GARAGE DOOR


Use the Garage Door Configurator to design from any of your devices

### Upload a photo of your home.

See which style offers you the look you want. With just a few simple clicks, you can visualize the transformation and make it a reality.



## homedepot.com/garagedoors





**CHOOSE YOUR GARAGE DOOR SIZE**Garage door sizes are generally categorized as single or double car doors





## **CHOOSE YOUR GARAGE DOOR**

# CANYON RIDGE® CARRIAGE HOUSE 4-LAYER

- Stained wood-look steel doors with composite overlays
- Available in our BEST construction

### COACHMAN®



- Painted wood-look steel doors with composite overlays
- Available in our GOOD and BEST construction options

### GALLERY® STEEL



- Grooved panel steel doors
- Available in our BASIC, GOOD, BETTER and BEST construction options

### CLASSIC<sup>™</sup> STEEL



- Classic raised panel steel doors
- Available in our BASIC, GOOD, BETTER and BEST construction options

### **CHOOSE YOUR CONSTRUCTION**

The construction and insulation type improves energy efficiency, durability and noise control of the door









ENERGY DURABILITY NOISE EFFICIENCY CONTRO CONTROL

Our **BEST** construction is made using 2" Intellicore® insulation between two layers of steel.  $R-Value^* = 18.4$ 





**EFFICIENCY** 







Our **BETTER** construction is made using 1-3/8" Intellicore® insulation between two layers of steel. R-Value\* = 12.9

GOOD







ENERGY DURABILITY NOISE **EFFICIENCY** CONTROL

Our GOOD construction is made using 1-3/8" polystyrene insulation between two layers of steel.  $R-Value^* = 6.5$ 









ENERGY DURABILITY NOISE **EFFICIENCY** CONTROL

Our BASIC construction is made using one layer of durable steel.  $R-Value^* = 0.0$ 

\*Calculated door section R-value is in accordance with DASMA TDS-163.

### **DESIGN VISUALIZE AND PRICE**

Design your door in store or in your home



homedepot.com/garagedoors
















## intellic@re® insulation technology



**ENERGY** EFFICIENCY Provides year-round comfort



18 4 R-VALUE Highest R-value in its class



NOISE CONTROL Dense insulation reduces operating noise



THERMAL BREAK Separates steel skins to improve energy efficiency



DURABILITY Enhanced strength increases durability



RUST PREVENTION Layered coating system helps protect steel skins

Available on the following garage doors:



CANYON RIDGE® COACHMAN®

GALLERY® STEEL CLASSIC™ STEEL



### MEDALLION™ HARDWARE UPGRADE

UPGRADE, PROTECT AND EXTEND

the Life of Your Garage Door

### **UPGRADED HARDWARE**

- Nylon ball bearing rollers for quiet, long-lasting operation
- Heavy-duty QuietFlex<sup>™</sup> 14 gauge hinges for smooth worry-free operation
- Extended life cycle springs

Along with upgraded hardware you receive extended warranties. See below for what is included on a standard door versus a door purchased with the Medallion™ Upgrade.



### **ROLLERS**

INCLUDED

**3 Year**Limited
Warranty

Standard Rollers MEDALLION™



Heavy-Duty Ball Bearing Rollers

### HINGES

INCLUDED



Standard 18 Gauge Hinges

### MEDALLION™



Heavy-Duty QuietFlex™ 14 Gauge Hinges

### **SPRINGS**

INCLUDED




Spring

MEDALLION UPGRADE

10 Year
Limited
Warranty

Extended Life Cycle Springs

## CANYON RIDGE® CARRIAGE HOUSE



### **AVAILABLE DESIGNS**

### Series 1



Design 11



Design 12



Design 13

### Series 2



Design 21



Design 22



Series 3



Design 31



Design 32



Design 33



Design 34



Design 35



Design 36



Design 37




Design 38

All doors shown in Medium Finish with Clear Cypress overlay.






### **AVAILABLE OPTIONS**




Window grilles are Clear Cypress texture. Windows not available on Designs 31, 32, 33, 34, 35, 36, 37 and 38. Standard windows available on the following widths only: 6'2", 8'0", 9'0", 10'0", 10'2", 12'0", 12'2", 13'6", 15'0", 15'2", 15'6", 15'8", 16'0", 16'2", 18'0", 18'2", 20'0", 20'2".



## COACHMAN®



### **AVAILABLE DESIGNS**







**18.4** R-Value

### 6.5 R-Value

### **CXU MODELS**


2" Intellicore® Polyurethane Insulation

### **CF MODELS**

1-3/8" Polystyrene Insulation

### **AVAILABLE OPTIONS**

### **Top Section/Window Options**



Series 3 and 4 not available with windows. Windows are standard with 1/8" double strength clear glass or optional obscure glass with removable insert grilles.


ARCH1 (Solid)

TOP13 (Solid)

# Standard White Almond Desert Tan Sandtone

Door and overlay colors may be mixed and matched. Due to the printing process, colors may vary.










### **Warranties**








## GALLERY® STEEL



### **AVAILABLE DESIGNS**



### Warranties



GR2SU/GR2LU/ GR1SU/GR1LU/ GR1SP/GR1LP/ GR4L





ALL MODELS


### **AVAILABLE OPTIONS**

**Decorative Hardware** 

Spade Step Plate

INCLUDED

Lift Handles




**OPTIONAL** 

Spade Strap Hinge


Additional hardware options available; see pages 14-15.

Twisted "L" Handles

Escutcheon Plates




### **ADDITIONAL OPTIONS**



## DECORATIVE HARDWARE






		Availability			
	Hardware Description  Numbers below correspond with images on page 15	COACHMAN®	CANYON RIDGE® Carriage House 4-layer	GALLERY® STEEL	
1	Standard Spade Lift Handles	V	V	~	
2	Standard Spade Step Plate	~	~	~	
3	Spade Strap Hinge*	~	~	~	
4	Twisted "L" Handles	~	V	~	
5	Twisted "T" Handle			~	
6	Escutcheon Plate(s)	~	~	~	
7	Spear Lift Handles	V	V	~	
8	Spear Step Plate	~	V	~	
9	Spear Strap Hinge*	V	V	~	
10	Colonial Lift Handles	V	V	~	
11	Colonial Step Plate	V	V	~	
12	Colonial Strap Hinge*	V	V	~	
13	Decorative Handles with Keyhole	V	V		
14	Ring Door Knocker	~	~		

<sup>\*</sup>Door may not open properly if installed near the top, depending on opening dimensions and lift type.

Attractive black powder coated handles and step plates are provided standard to further enhance the carriage house design. Optional antique hardware, including handles, operable L-keylocks and strap hinges, are available to provide the look of a classic carriage house door.



## CLOPAY STEEL paint colors


Now you are able to match your home's exterior trim, windows, doors or other accents to any of the seventeen Clopay steel garage door colors! Visit the Paint Desk at The Home Depot and give them the CBP code to get an exact color match in BEHR MARQUEE®, BEHR ULTRA™




or BEHR PREMIUM PLUS® exterior paint. (BEHR, GOOD. BETTER. BEHR, BEHR MARQUEE, BEHR ULTRA and BEHR PREMIUM PLUS are trademarks of Behr Process Corporation of California.)

White CBP-1	Glacier White CBP-10	Almond CBP-2	Desert Tan CBP-3	Sandtone CBP-4	Bronze CBP-9	Chocolate CBP-5	Mocha Brown CBP-11	Hunter Green CBP-6
<b>Gray</b> CBP-7	Charcoal CBP-17	Black CBP-8	<b>Medium</b> <b>Finish</b> CBP-15	Cherry Finish CBP-12	Dark Finish CBP-13	<b>Walnut</b> <b>Finish</b> CBP-14	Slate Finish CBP-16	

## CLASSIC STEEL



### **AVAILABLE DESIGNS**




### **AVAILABLE OPTIONS**




Exterior steel on standard color doors has a natural woodgrain texture.

Exterior steel surface on an Ultra-Grain® finish door has a stucco texture.



### **ADDITIONAL OPTIONS**

HDP13/HDPL13/ 2050/2053



## **WINDOWS**

### **Plain Series**



Plain Short



Plain Long

- Available in non-insulated single pane glass, clear acrylic or obscure glass on any model
- Insulated double pane glass and obscure glass available on Classic™ Steel Models HDP20, HDPL20, HDP13 and HDPL13 only

### **Snap-In Series**



Charleston 508



Prairie 510



Colonial 509



Charleston 608



Prairie 610



Stockton 612



Madison 611



Sunset 501 (4, 6, 8 or 10 panels across)



Sunset 502 (3, 6 or 9 panels across)



Madison Arch 613



Sunset 503 (4 or 8 panels across)



Sunset 601 (2, 3, 4 or 5 long panels across)



Sunset 505 (8 panels across only)



Sunset 506 (5 or 10 panels across)



Sunset 504 (7 panels across only)



Sunset 603 (2 or 4 long panels across)



Sunset 605 (4 long panels across)

- Snap-In inserts are made of tough UV-protected plastic
- Inserts snap into the inside or outside frame of plain windows, changing the look in minutes
- Inserts come in 15 colors to match the color of the door; Sunset windows not available on Ultra-Grain® finish doors Due to the printing process, colors may vary.

### **Architectural Series**



Plain Short



Short with Rectangular Grilles



Short with Square Grilles



Plain Long



Long with Rectangular Grilles



Long with Square Grilles



ARCH1 Plain



ARCH1 with Vertical Grilles



ARCH1 with Grilles



ARCH2 Plain



ARCH2 with Vertical Grilles



ARCH2 with Grilles



Trenton® Short\*



Trenton® Long\*





Wrought Iron Short<sup>†</sup>







Kristin® Short\*



Kristin® Long\*







Clayton™ Short\*



Clayton™ Long\*





Wrought Iron ARCH<sup>†</sup>

- Architectural Series windows feature a larger viewing area
- Insulated glass available on Classic™ Steel Models HDP20, HDPL20, HDP13 and HDPL13 only
- \*Classic, elegant leaded design provides privacy while allowing sunlight to pass through.
- †Wrought Iron acrylic windows not available insulated.

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit clopaydoor.com/acrylic for complete details.

### **Window Location**



Top Section



Second from Top

- Short windows available over short and flush panels (all widths)
- Long windows available over long panels (all widths)
- Long windows available over short and flush panels (8', 9', 16' and 18'\* widths only)
- Most windows come standard in top section
- Most windows available in top and second from top section
- \*18' not available on Model 2050.



## **EXPLORE** more door options











## **CONSIDER** a commercial door







Explore all of the garage door designs and insulation options Clopay has to offer.

See a store associate or scan here to view the Clopay garage door configurator.



HomeDepot.com/GarageDoors





### PROFESSIONAL INSTALLATION

### Let Our Qualified Experts Install Your Door

### **Professional Installation Includes:**















### What To Expect

- Order your new garage door (Visit, Click or Call)
- We'll perform a site inspection to confirm your door size
- We'll contact you to schedule the installation
- Many popular sizes and models\* installed within 10 days after site inspection
- Custom "made-to-order" garage doors installed within 4 weeks after site inspection

\*Ask an Associate for model and size availability in your market.

### \*Clean up and haul away old door(s) and answer homeowner's questions. Additional fees for haul away may apply in some markets.

### **INSTALL-IT-YOURSELF**

### **Need a Door Today?**

- Ask an Associate for our selection of "In-Stock" doors
- Load it up and take it home today



### Want a "Custom" Look for Your Home?

- Bring in your measurements and choose from thousands of styles, sizes and options
- We'll deliver your door in 4 weeks, FREE HOME DELIVERY included



**HOME** 

Let us do it for you.

**SERVICES** 

### **PURCHASE OPTIONS**





CLICK




CALL

Go to HomeDepot.com/GarageDoors Visit your local Home Depot store

SPECIAL In-Stock doors not available in every market. Additional fees apply for deliveries greater than 30 drive miles from store location. Please note that Bridgeport™ Steel, Reserve® Wood, Canyon Ridge® and Avante® doors are available ONLY professionally installed.

### **HOW TO MEASURE YOUR DOOR**



1. Measure existing door width and height in feet and inches. This determines the size of door needed. The rough opening should be the same size as the door.

Width: Height:

2. Measure for sideroom: 4-1/2" is required on each side for installation of the vertical track for standard extension or torsion springs, or EZ-SET  $\!\!^{\tiny{\circledR}}$  torsion spring. 5-1/2" is required for EZ-SET® extension spring.

Sideroom: Existing headroom:

of the door opening (jamb header) and the ceiling or lowest obstruction (e.g., opener, beams or light fixtures). 10" is required for standard installation of extension springs and EZ-SET® extension spring; 12" on standard torsion springs and EZ-SET® torsion spring. 14-1/2" of headroom required for carriage house doors. If you have restricted headroom, special hardware is available. Low headroom hardware is available to reduce requirement to as low as 4-1/2" (minimum with standard extension spring or EZ-SET® extension spring). EZ-SET® torsion spring low headroom requirement is 9". Note: If door height extends above the opening, the headroom

3. Measure area labeled "headroom" – distance between the top

measurement should be adjusted accordingly. Headroom needed:

4. Measure area labeled "backroom" distance is measured from the garage door opening toward the back wall of the garage.

Backroom:

Common garage door sizes include 8' wide  $\times$  7' high, 9' wide  $\times$  7' high, and 16' wide × 7' high. Clopay manufactures most doors in nearly any size you require.

Follow us on 🛐 🖸 💟 👂 🗅 🐚 🔟 MADE IN USA